



Certificate of Analysis
Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # 500001
Batch Date: 2024-02-19
Extracted From: Kratom

Production Facility: HR SUPPLIES LLC
Production Date: 2024-02-19

Order # HRS240220-010001
Order Date: 2024-02-20
Sample # AAFH983
Number of Units: 1
Net Weight per Unit: 34258.000 mg
Sampling Method: MSP 7.3.1

Sampling Date: 2024-02-22
Lab Batch Date: 2024-02-22
Orig. Completion Date: 2024-03-04

Serving Number: 0.00000

Initial Gross Weight: 41.964 g
Net Weight: 34.258 g

Statement of Amendment: Report format



Kratom
Tested

Kratom Alkaloids *

Specimen Weight: 141.300 mg

Tested

SOP 13.062 Kratom Alkaloids
(LCMS)

Total Detectable Alkaloids

Total Kratom Alkaloids
1.0245% **350.973mg**

Analyte	LOQ (%)	Result (mg/g)	(%)
Mitragynine	0.00146	8.8340	0.8834
Speciogynine	0.00146	0.6258	0.06258
Paynantheine	0.00146	0.5834	0.05834
7-Hydroxy Mitragynine	0.00146	0.1483	0.01483
Speciociliatine	0.00146	0.0538	0.00538
Corynoxine B	0.00146	<LOQ	<LOQ
Isorhynchophylline	0.00146	<LOQ	<LOQ
Mitraphylline	0.00146	<LOQ	<LOQ

Prep. By: 1195 Date: 2024-02-27 14:05:43 Analyzed By: 1199 Date: 2024-02-24 16:35:29
Reviewed By: 1150 Date: 2024-03-03 15:22:48 Lab Batch #: AAFH983-412 Date: 2024-03-03 15:22:48

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

