



Certificate of Analysis
Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # 09002
Batch Date: 2025-01-21
Extracted From: Hemp

Test Reg State: Florida

Production Facility: HR SUPPLIES LLC
Production Date: 2025-01-21

Order # HRS250122-110001
Order Date: 2025-01-22
Sample # AAGI240

Sampling Date: 2025-01-25
Lab Batch Date: 2025-01-25
Completion Date: 2025-01-31

Initial Gross Weight: 18.930 g



**Potency
Tested**

Product Image

Potency 10

Specimen Weight: 508.520 mg

Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	Result (%)
CBD	5.40E-5	0.015	388.980	38.898
CBG	2.48E-4	0.015	258.220	25.822
CBC	1.80E-5	0.015	68.660	6.866
CBN	1.40E-5	0.015	29.340	2.934
CBDV	6.50E-5	0.015	13.260	1.326
CBGA	8.00E-5	0.015	0.780	0.078
CBDA	1.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			388.980	38.898
Total Active THC			<LOQ	<LOQ

Potency Summary

Total Active THC None Detected	Total Active CBD 38.898%
Total CBG 25.890%	Total CBN 2.934%
Total Cannabinoids 75.924%	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.