



**Certificate of Analysis**  
Compliance Test

**Client Information:**

**HR SUPPLIES LLC**  
6925 Lake Ellenor DR  
SUITE 470  
ORLANDO, FL 32809

Batch # 04002  
Batch Date: 2025-01-21  
Extracted From: Hemp

Test Reg State: Florida

Production Facility: HR SUPPLIES LLC  
Production Date: 2025-01-21

Order # HRS250122-200001  
Order Date: 2025-01-22  
Sample # AAGI236

Sampling Date: 2025-01-25  
Lab Batch Date: 2025-01-25  
Completion Date: 2025-01-31

Initial Gross Weight: 19.790 g



**Potency  
Tested**

Product Image

**Potency 10**

Specimen Weight: 502.530 mg

**Tested**

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	Bar
CBD	5.40E-5	0.015	405.360	40.536	
CBN	1.40E-5	0.015	263.160	26.316	
CBC	1.80E-5	0.015	71.160	7.116	
CBG	2.48E-4	0.015	22.510	2.251	
CBDV	6.50E-5	0.015	13.980	1.398	
CBGA	8.00E-5	0.015	1.620	0.162	
CBDA	1.00E-5	0.015	<LOQ	<LOQ	
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	<LOQ	
THCV	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD			405.360	40.536	
Total Active THC			<LOQ	<LOQ	

**Potency Summary**

Total Active THC None Detected	Total Active CBD 40.536%
Total CBG 2.393%	Total CBN 26.316%
Total Cannabinoids 77.779%	

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THC + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.