



Certificate of Analysis
Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # HRR 101
Batch Date: 2025-01-06
Extracted From: Hemp

Test Reg State: Florida

Production Facility: HR SUPPLIES LLC
Production Date: 2025-01-05

Order # HRS250107-020001
Order Date: 2025-01-07
Sample # AAGH037

Sampling Date: 2025-01-10
Lab Batch Date: 2025-01-10
Completion Date: 2025-01-17

Volume: 355 ml



Product Image

Potency 10

Specimen Weight: 20000.000 mg

| Analyte | LOD (mg/g) | LOQ (%) | Result (µg/ml) | SOP13.001 (LCMS) | |
|------------------|------------|---------|----------------|------------------|-----|
| | | | | (%) | (%) |
| CBD | 5.40E-5 | 0.015 | 55.780 | 0.005578 | |
| Delta-9 THC | 1.30E-5 | 0.015 | 27.100 | 0.00271 | |
| CBC | 1.80E-5 | 0.015 | <LOQ | <LOQ | |
| CBDA | 1.00E-5 | 0.015 | <LOQ | <LOQ | |
| CBDV | 6.50E-5 | 0.015 | <LOQ | <LOQ | |
| CBG | 2.48E-4 | 0.015 | <LOQ | <LOQ | |
| CBGA | 8.00E-5 | 0.015 | <LOQ | <LOQ | |
| CBN | 1.40E-5 | 0.015 | <LOQ | <LOQ | |
| THCA-A | 3.20E-5 | 0.015 | <LOQ | <LOQ | |
| THCV | 7.00E-6 | 0.015 | <LOQ | <LOQ | |
| Total Active CBD | | | 0.056 | 0.005578 | |
| Total Active THC | | | 0.027 | 0.00271 | |

Tested

Potency Summary

| | |
|---|---|
| Total Active THC 0.00271% 9.621mg | Total Active CBD 0.005578% 19.802mg |
| Total CBG - ND | Total CBN - ND |
| Total Cannabinoids 0.008288% 29.422mg | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.