



Certificate of Analysis
Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # 06006
Batch Date: 2024-08-07
Extracted From: Hemp

Test Reg State: Florida

Order # HRS240812-040001
Order Date: 2024-08-12
Sample # AAFV704

Sampling Date: 2024-08-14
Lab Batch Date: 2024-08-14
Orig. Completion Date: 2024-08-20

Initial Gross Weight: 17.049 g

Number of Units: 1
Net Weight per Unit: 3000.000 mg

Statement of Amendment: Updated Potency



Product Image



Potency
Tested

HHCP

Tested

Potency 25 (LCUV)
Specimen Weight: 504.450 mg

Tested
SOP13.001 (LCUV)

| Analyte | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | (%) |
|-----------------------|----------------|---------|---------|---------------|---------|
| Delta-8 THC | 50.000 | 2.60E-5 | 0.015 | 305.3100 | 30.5310 |
| Delta9-THCP * | 500.000 | 1.17E-5 | 0.012 | 45.6700 | 4.5670 |
| CBD | 50.000 | 5.40E-5 | 0.015 | 38.4500 | 3.8450 |
| CBDA | 50.000 | 1.00E-5 | 0.015 | 8.3000 | 0.8300 |
| CBT | 50.000 | 2.00E-4 | 0.015 | 5.8980 | 0.5898 |
| Delta-8 THCv | 50.000 | 4.00E-5 | 0.015 | 5.6550 | 0.5655 |
| CBC | 50.000 | 1.80E-5 | 0.015 | 5.1200 | 0.5120 |
| CBN | 50.000 | 1.40E-5 | 0.015 | 3.9800 | 0.3980 |
| CBNA | 50.000 | 9.50E-5 | 0.015 | 2.3240 | 0.2324 |
| CBDV | 50.000 | 6.50E-5 | 0.015 | 0.9700 | 0.0970 |
| CBGA | 50.000 | 8.00E-5 | 0.015 | 0.9400 | 0.0940 |
| CBG | 50.000 | 2.48E-4 | 0.015 | 0.6200 | 0.0620 |
| CBCA | 50.000 | 1.07E-4 | 0.015 | <LOQ | <LOQ |
| CBDVA | 50.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ |
| CBL | 50.000 | 3.50E-5 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 50.000 | 2.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta-9 THC | 50.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 50.000 | 7.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta8-THCP * | 50.000 | 3.75E-4 | 0.015 | <LOQ | <LOQ |
| Exo-THC | 50.000 | 2.30E-4 | 0.015 | <LOQ | <LOQ |
| THCA-A | 50.000 | 3.20E-5 | 0.015 | <LOQ | <LOQ |
| THCB * | 50.000 | 1.80E-4 | 0.0163 | <LOQ | <LOQ |
| THCH * | 50.000 | 3.50E-4 | 0.0163 | <LOQ | <LOQ |
| THCV | 50.000 | 7.00E-6 | 0.015 | <LOQ | <LOQ |
| THCVA | 50.000 | 4.70E-5 | 0.015 | <LOQ | <LOQ |
| Total Active CBD | 50.000 | | | 45.729 | 4.573 |
| Total Active THC | 50.000 | | | <LOQ | <LOQ |



Potency Summary

| | |
|---|---|
| Total HHC 27.810% 834.300 mg | Total Active THC - None Detected |
| Total Active CBD 4.573% 137.187 mg | Total CBG 0.145% 4.350 mg |
| Total CBN 0.602% 18.060 mg | Total Cannabinoids 70.134% 2,104.020 mg |
| Total DELTA-8-THC 30.531% 915.93 mg | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Revised report- see statement of amendment above.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # 06006
Batch Date: 2024-08-07
Extracted From: Hemp

Test Reg State: Florida

Order # HRS240812-040001
Order Date: 2024-08-12
Sample # AAFV704

Sampling Date: 2024-08-14
Lab Batch Date: 2024-08-14
Orig. Completion Date: 2024-08-20

Initial Gross Weight: 17.049 g

Number of Units: 1
Net Weight per Unit: 3000.000 mg

HHCP HHCP

Specimen Weight: 504.450 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 50000.000

| Analyte | LOD (%) | LOQ (%) | Result (mg/g) | (%) Analyte | LOD (%) | LOQ (%) | Result (mg/g) | (%) |
|--------------------|-------------|---------|---------------|-------------------------------|-------------|---------|---------------|-------|
| (9R)-HHC | 3.6600E-6 | 0.075 | 198.0000 | 19.8 CBC | 2.760000E-5 | 0.075 | 5.1200 | 0.512 |
| (9S)-HHC | 6.6000E-6 | 0.075 | 80.1000 | 8.01 Delta-8 THC methyl ether | 2.480000E-4 | 0.075 | <LOQ | <LOQ |
| (±)-9β-hydroxy-HHC | 7.7800E-6 | 0.075 | <LOQ | <LOQ Delta-9 THC | 2.8000E-4 | 0.075 | <LOQ | <LOQ |
| 1(R)-H4-CBD | 7.330000E-7 | 0.15 | <LOQ | <LOQ Delta-9 THC methyl ether | 1.600000E-4 | 0.075 | <LOQ | <LOQ |
| 1(S)-H4-CBD | 6.630000E-7 | 0.15 | <LOQ | <LOQ H2-CBD | 1.440000E-7 | 0.075 | <LOQ | <LOQ |
| 9(R)-HHCP | 3.0900E-5 | 0.075 | <LOQ | <LOQ Total HHC | 0.075 | 0.075 | 278.1000 | 27.81 |
| 9(S)-HHCP | 2.5500E-5 | 0.075 | <LOQ | <LOQ | | | | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

