



Certificate of Analysis

Compliance Test

Client Information:

HR SUPPLIES LLC
6925 Lake Ellenor DR
SUITE 470
ORLANDO, FL 32809

Batch # SLX1004
Batch Date: 2025-04-13
Extracted From: Hemp

Test Reg State: Florida

Production Facility: HR SUPPLIES LLC
Production Date: 2025-04-13

Order # HRS250414-070001
Order Date: 2025-04-14
Sample # AAGP465

Sampling Date: 2025-04-16
Lab Batch Date: 2025-04-16
Completion Date: 2025-04-24

Initial Gross Weight: 24.100 g

Number of Units: 1
Net Weight per Unit: 2000.000 mg



Potency
Tested

Product Image



Potency 10

Specimen Weight: 101.240 mg

Tested


SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.015	484.660	48.466
CBC	1.80E-5	0.015	63.120	6.312
CBN	1.40E-5	0.015	44.110	4.411
CBG	2.48E-4	0.015	20.820	2.082
CBDV	6.50E-5	0.015	7.390	0.739
CBGA	8.00E-5	0.015	1.120	0.112
Delta-9 THC	1.30E-5	0.015	1.100	0.110
CBDA	1.00E-5	0.015	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	
THCV	7.00E-6	0.015	<LOQ	
Total Active CBD			484.660	48.466
Total Active THC			1.100	0.110



Potency Summary

Total Active THC 0.110% 2.200 mg	Total Active CBD 48.466% 969.320 mg
Total CBG 2.180% 43.600 mg	Total CBN 4.411% 88.220 mg
Total Cannabinoids 62.232% 1244.640 mg	


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.